SEGWAY

© Segway Technology Co., Ltd. (Segway). All rights reserved. Segway logos are registered trademarks of Segway or its affiliates. Segway reserves the right, at any time, to discontinue or change specifications, price, designs, features, models or equipment without incurring obligation.

WARNING: Please be sure to read the Owner's Manual and all on-product warning labels carefully. Segway off-road vehicles can be hazardous to operate. For your safety, always wear a helmet, eye protection and proper protective clothing. Never operate under the influence of drugs and alcohol and always respect the applicable laws and regulations. Segway off-road vehicles are designed, equipped and manufactured for off-road use are not intended for public streets, roads, or highways.

SEGWAY

SHOCKWAVE INCOMING

2026



SEGWAY POWERSPORTS

Segway Technology Co., Ltd. (hereinafter referred to as "Segway Powersports") is an innovative company in the field of Powersports design and manufacturing, including but not limited to: All-terrain Vehicles, Utility Side by Sides, Sport Side by Sides and On-road Vehicles. Approaching the international market from a long-term perspective, Segway Powersports has numerous self-developed patented designs including hybrid powertrain systems, internal combustion engines, smart IOV systems, advanced vehicle designs, etc. Segway Powersports is a high-tech enterprise integrating a superior supply chain and its own factories. The company specializes in the R&D, production, sales and after-sales service of Powersports products. Segway Powersports adheres to the motto of "FEAR NO PLACE" and aims to be the leading All-Terrain mobility solution provider.

SEGWAY

SUPER VILLAIN
SX20T

VILLAIN
SX10

07

SEGWAY
UT10 CREW
UT10

SEGWAY
UT6

13

SEGWAY
AT10
AT10 W MUD

SEGWAY
AT6 L
AT5 L

21

SPECIFICATIONS

27

NEXT-GEN PERFORMANCE

SUPER VILLAIN
SX20T

VILLAIN
SX10


SUPER VILLAIN

SUPER VILLAIN
SX20T



235 hp SUPER POWER

2.0T GDi Four Cylinder
Automatic Transmission
< 6s 0–100 km/h Acceleration
70 % Climbing Ability

AT TRANSMISSION

The smooth power delivery owes itself to the AT transmission's self-learning and adaptive intelligent control features.

ERGONOMIC SEAT

Designed for comfort and safety with 4-point safety harness and adjustable seats.

SELECTABLE DRIVING MODES

On-demand three modes: Normal, Racing, and Climbing. Enjoy a smooth and responsive ride with just the right amount of power at your disposal.

SMART MOVING & SMART FUN

Offline Map & Wireless Team Up
Real-Time Driving Status
Start Navigating
Multimedia Music & Telephone

SUPERB SUSPENSION

Equipped with racing shocks, delivering exceptional off-road capability and comfortable driving.

Segway reserves the right to change specifications, models or pricing at any time without incurring obligations.

VILLAIN
SX10



105 hp DYNAMIC POWER

DOHC Parallel-Twin Cylinder, 4-Stroke
1,433 lb (650 kg) Towing
10.4″ Infotainment Touchscreen

4500 lb WINCH

ADJUSTABLE EPS

Steering on any terrain with
3 Adjustable modes:
Comfort, Standard, and Sport.

SMART MOVING & SMART FUN

Offline Map & Wireless Team Up
Real-Time Driving Status
Start Navigating
Multimedia Music & Telephone

14″ ALUM RIM

Front 30 × 10 R14
Rear 30 × 10 R14

FRONT & REAR DIFFERENTIAL LOCK

Flip the switch on the electronic differential lock to maximize available traction to four wheels.

UNMATCHED UTILITY

SEGWAY
UT10 CREW
UT10

SEGWAY
UT6


SEGWAY

SEGWAY
UT10 CREW



105 hp DYNAMIC POWER

DOHC Twin Cylinder, 4-Stroke
2,500 lb (1134 kg) Towing
772 lb (350 kg) Cargo Bed Capacity

LATERAL STABILITY

Tilt Degree: 38°

30″ TYRES

Front: 30 × 10 R14
Rear: 30 × 10 R14

5.5 gal UNDERSEAT STORAGE

There are two storage boxes under the right side of passenger seats with a capacity of 5.5 gallon.

SMART COMMANDING SCREEN

Offline Map & Wireless Team Up
Real-Time Driving Status
Start Navigating
Multimedia Music & Telephone

FRONT & REAR DIFFERENTIAL LOCK

Flip the switch on the electronic differential lock to maximize available traction to four wheels.

Segway reserves the right to change specifications, models or pricing at any time without incurring obligations.

SEGWAY
UT10



105 hp DYNAMIC POWER

DOHC Twin Cylinder, 4-Stroke
2,500 lb (1134 kg) Towing
772 lb (350 kg) Cargo Bed Capacity

ADJUSTABLE EPS

Steering on any terrain with
3 Adjustable modes:
Comfort, Standard, and Sport.

SUSPENSION

Front / Rear: Independent
Dual A-Arms Suspension 32 cm
Ground Clearance

TFT DISPLAY

A dynamic, high-resolution interface delivering real-time data for an enhanced driving experience.

SMART MOVING APP

Remote access to the real-time data of vehicle through smart moving APP.

PARKING BRAKE

Park In-Transmission

SEGWAY
UT6

44 hp DYNAMIC POWER

DOHC Single Cylinde, 4-Stroke
1,896 lb (860 kg) Towing
1,200 lb (454 kg) Cargo Bed Capacity

43 L FUEL CAPACITY

43 L fuel capacity provides an excellent vehicle range, which supports the demands of extended and intensive work.

SUSPENSION

Front / Rear: Independent Dual A-Arms Suspension
35 cm Ground Clearance

SMART COMMANDING SCREEN

Offline Map & Wireless Team Up
Real-Time Driving Status
Start Navigating
Multimedia Music & Telephone

UNMATCHED CAPABILITY

Tilting Cargo Bed: 385 L

HEATING SYSTEM

Equipped with a cutting-edge heating system, it provides a more comfortable experience for winter travel.

Segway reserves the right to change specifications, models or pricing at any time without incurring obligations.

ADVENTURE REDEFINED

SEGWAY
AT10
AT10 W MUD

SEGWAY
AT6 L
AT5 L



SEGWAY
AT10



97 hp DOMINATING POWER

DOHC Parallel-Twin Cylinder, 4-Stroke
125 km/h Max Speed
7.5 s 0-100 km/h Acceleration
78 % Climbing Angle

23 L FUEL CAPACITY

Adequate fuel tank capacity to support longer journeys.

ADJUSTABLE EPS

EPS adopts brushless motor and provides stable steering on any terrainwith 3 Adjustable modes: Comfort, Standard and Sport.

Segway reserves the right to change specifications, models or pricing at any time without incurring obligations.

SEGWAY
AT10 W MUD



STRONG WADING CAPABILITY

Up to 1 m water depth, for extremely long durations, beyond your imagination.

SUPERIOR STABILITY

The industry's first 58-inch extra-wide ATV, greatly enhancing rollover stability.

30" TIRES

Front: 30 × 10 R14
Rear: 30 × 10 R14

SEGWAY
AT6 L



44 hp DYNAMIC POWER

DOHC Single Cylinder, 4-Stroke
CVTech Transmission
4.7 s 0–60 km/h Acceleration
67 % Climbing Angle

350 kg TOWING
100 kg RACK LOAD

14″
ALUM RIM

Front: 26 × 8-14
Rear: 26 × 10-14

ADJUSTABLE EPS

EPS adopts brushless motor and provides stable steering on any terrain with 3 Adjustable modes: Comfort, Standard and Sport.

SMART MOVING APP

Remote access to the real-time data of vehicle through smart moving APP.

LCD DISPLAY

Monitor the key indicators of vehicle at any time through the display.

SEGWAY
AT5 L



39 hp DYNAMIC POWER

DOHC Single Cylinder, 4-Stroke
CVTech Transmission
5.1 s 0–60 km/h Acceleration
81 % Climbing Angle

612 kg TOWING
100 kg RACK LOAD

12″
ALUM RIM

Front: 25 × 8-12
Rear: 25 × 10-12

30000 cd
LED LIGHTS

Delivers up to 30,000 cd of powerful illumination for clearer vision and confident riding.

4-WHEEL HYDRAULIC DISC

4-Wheel Hydraulic Disc brakes serve up powerful and consistent feel and braking performance.

19 L
FUEL CAPACITY

Go with confidence with 12 % more range of fuel tank.

Segway reserves the right to change specifications, models or pricing at any time without incurring obligations.

SUPER VILLAIN	SX20T
ENGINE	2.0T GDI Four Cylinder
HORSEPOWER	235 hp
TRANSMISSION	Automatic Transmission
DIFFERENTIAL LOCK	Front
EPS	✓
DIMENSIONS	140.2 × 76.1 × 73.7" (356.0 × 193.2 × 187.3 cm)
CARGO BED L × W × H	34.8 × 33.6 × 8.5" (88.5 × 85.3 × 21.7 cm)
WHEELBASE	104.5" (265.4 cm)
GROUND CLEARANCE	14.6" (37 cm)
BED CAPACITY	300 lb (136 kg)
CURB WEIGHT	2,778 lb (1260 kg)
PAYLOAD CAPACITY	740 lb (336 kg)
FRONT SUSPENSION	Dual A-Arm w/ Stabilizer Bar, 20" Wheel Travel
REAR SUSPENSION	Multi-Link Trailing Arm w/ Stabilizer Bar, 21" Wheel Travel
SHOCKS	K-man 3.0 Damper System
WHEELS	15" Aluminum w/ Beadlock
TIRES	32 × 10 R15; 32 × 10 R15
BRAKES	4-Wheel Disc Brake
SAFETY RESTRAINT	4-Point Harness
LAMP	LED
FUEL CAPACITY	11.9 gal (45 L)
SMART TOUCHSCREEN	Included
SMART MOVING APP	Included
WINCH	4,500 lb
COLORS	Black Red / Tensive Red



Segway reserves the right to change specifications, models or pricing at any time without incurring obligations.

VILLAIN SX10	64″ VILLAIN SX10 STANDARD	64″ VILLAIN SX10 PREMIUM	72″ VILLAIN SX10 W PREMIUM
ENGINE	999 cc 4-Stroke Parallel-Twin Cylinder DOHC	999 cc 4-Stroke Parallel-Twin Cylinder DOHC	999 cc 4-Stroke Parallel-Twin Cylinder DOHC
HORSEPOWER	105 hp	105 hp	105 hp
TRANSMISSION	Automatic CVT	Automatic CVT	Automatic CVT
DIFFERENTIAL LOCK	Front & Rear	Front & Rear	Front & Rear
EPS	✓	✓	✓
DIMENSIONS	132.9 × 64.2 × 70.9" (337.5 × 163.0 × 180.0 cm)	132.9 × 64.2 × 70.9" (337.5 × 163.0 × 180.0 cm)	133.1 × 72.8 × 72.8" (338.0 × 185.0 × 185.0 cm)
WHEELBASE	102" (259 cm)	102" (259 cm)	102" (259 cm)
GROUND CLEARANCE	13.8" (35 cm)	13.8" (35 cm)	14.6" (37 cm)
TOWING CAPACITY	1,433 lb (650 kg)	1,433 lb (650 kg)	1,433 lb (650 kg)
BED CAPACITY	198 lb (90 kg)	198 lb (90 kg)	198 lb (90 kg)
PAYLOAD CAPACITY	573 lb (260 kg)	573 lb (260 kg)	573 lb (260 kg)
FRONT SUSPENSION	Dual A-Arm w/ Stabilizer Bar, 14.2" Wheel Travel	Dual A-Arm w/ Stabilizer Bar, 14.2" Wheel Travel	Dual A-Arm w/ Stabilizer Bar, 16.1" Wheel Travel
REAR SUSPENSION	Multi-Link Trailing Arm w/ Stabilizer Bar, 16.5" Wheel Travel	Multi-Link Trailing Arm w/ Stabilizer Bar, 16.5" Wheel Travel	Multi-Link Trailing Arm w/ Stabilizer Bar, 18.1" Wheel Travel
SHOCKS	Segway Coilover 2.5 Damper System	Segway Coilover 2.5 Damper System	Segway Coilover 2.5 Damper System
WHEELS	14" Aluminum	14" Aluminum w/ Beadlock	14" Aluminum w/ Beadlock
TIRES	29 × 9 R14; 29 × 11 R14;	29 × 9 R14; 29 × 11 R14;	30 x 10 R14; 30 x 10 R14;
BRAKES	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc
SAFETY RESTRAINT	4-Point Harness	4-Point Harness	4-Point Harness
FUEL CAPACITY	11.6 gal (44 L)	11.6 gal (44 L)	11.6 gal (44 L)
SMART TOUCHSCREEN	Optional	10.4" Infotainment Touchscreen	10.4" Infotainment Touchscreen
SMART MOVING APP	Included	Included	Included
WINCH	Optional	4,500 lb	4,500 lb
PERSON CAPACITY	2	2	2
DOORS	Included	Included	Included
COLORS	Tensive Red / Dream Green / Innovative Gray / Matt Black		









SEGWAY UT10 CREW	UT10 CREW STANDARD	UT10 CREW PREMIUM
ENGINE	999 cc 4-Stroke Parallel-Twin Cylinder DOHC	999 cc 4-Stroke Parallel-Twin Cylinder DOHC
HORSEPOWER	105 hp	105 hp
TRANSMISSION	Automatic CVT	Automatic CVT
DIFFERENTIAL LOCK	Front	Front & Rear
EPS	✓	✓
DIMENSIONS	156.5 × 63.0 × 75.6" (397.5 × 160.0 × 192.0 cm)	156.5 × 63.0 × 76.8" (397.5 × 160.0 × 195.0 cm)
CARGO BED L × W × H	47.2 × 34.1 × 11.4" (120.0 × 86.5 × 29.0 cm)	47.2 × 34.1 × 11.4" (120.0 × 86.5 × 29.0 cm)
WHEELBASE	117.5" (298.5 cm)	117.5" (298.5 cm)
GROUND CLEARANCE	12.6" (32 cm)	13.8" (35 cm)
TOWING CAPACITY	2,500 lb (1,134 kg)	2,500 lb (1,134 kg)
BED CAPACITY	772 lb (350 kg)	772 lb (350 kg)
PAYLOAD CAPACITY	1,500 lb (680 kg)	1,500 lb (680 kg)
FRONT SUSPENSION	Dual A-Arm; 9.4" Wheel Travel	Dual A-Arm; 9.4" Wheel Travel
REAR SUSPENSION	Dual A-Arm; IRS; 10.6" Wheel Travel	Dual A-Arm; IRS; 10.6" Wheel Travel
SHOCKS	Oil Shock	Oil Shock
WHEELS	14" Steel Rim	14" Aluminum Rim
TIRES	27 × 9 R14; 27 × 11 R14	30 × 10 R14; 30 × 10 R14
BRAKES	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc
LAMP	Halogen	Halogen
FUEL CAPACITY	11.9 gal (45 L)	11.9 gal (45 L)
SMART TOUCHSCREEN	Optional	10.4" Infotainment Touchscreen
SMART MOVING APP	Included	Included
WINCH	4,500 lb	4,500 lb
PERSON CAPACITY	6	6
COLORS	Tensive Red / Dream Green / Innovative Gray / TRUETIMBER® Prairie Camo	



SEGWAY UT10	UT10 STANDARD	UT10 PREMIUM
ENGINE	999 cc 4-Stroke Parallel-Twin Cylinder DOHC	999 cc 4-Stroke Parallel-Twin Cylinder DOHC
HORSEPOWER	105 hp	105 hp
TRANSMISSION	Automatic CVT	Automatic CVT
DIFFERENTIAL LOCK	Front	Front & Rear
EPS	✓	✓
DIMENSIONS	122.0 × 63.9 × 78.7" (310.0 × 162.5 × 200.0 cm)	122.0 × 63.9 × 78.7" (310.0 × 162.5 × 200.0 cm)
CARGO BED L × W × H	47.2 × 34.1 × 11.4" (120.0 × 86.5 × 29.0 cm)	47.2 × 34.1 × 11.4" (120.0 × 86.5 × 29.0 cm)
WHEELBASE	82" (208.5 cm)	82" (208.5 cm)
GROUND CLEARANCE	12.6" (32 cm)	12.6" (32 cm)
TOWING CAPACITY	2,500 lb (1,134 kg)	2,500 lb (1,134 kg)
BED CAPACITY	772 lb (350 kg)	772 lb (350 kg)
PAYLOAD CAPACITY	1,278 lb (580 kg)	1,278 lb (580 kg)
FRONT SUSPENSION	Dual A-Arm; 9.4" Wheel Travel	Dual A-Arm; 9.4" Wheel Travel
REAR SUSPENSION	Dual A-Arm; IRS; 10.6" Wheel Travel	Dual A-Arm; IRS; 10.6" Wheel Travel
SHOCKS	Oil Shock	Oil Shock
WHEELS	14" Steel Rim	14" Aluminum w/ Beadlock
TIRES	27 × 9 R14; 27 × 11 R14	27 × 9 R14; 27 × 11 R14
BRAKES	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc
LAMP	Halogen	Halogen
FUEL CAPACITY	11.9 gal (45 L)	11.9 gal (45 L)
SMART TOUCHSCREEN	Optional	10.4" Infotainment Touchscreen
SMART MOVING APP	Included	Included
WINCH	Optional	4,500 lb
PERSON CAPACITY	3	3
COLORS	Tensive Red / Dream Green / Innovative Gray / TRUETIMBER® Prairie Camo	



Segway reserves the right to change specifications, models or pricing at any time without incurring obligations.

SEGWAY
UT6



SEGWAY UT6	UT6 STANDARD	UT6 PREMIUM
ENGINE	567 cc, 4-Stroke Single-Cylinder DOHC Engine	567 cc, 4-Stroke Single-Cylinder DOHC Engine
HORSEPOWER	44 hp	44 hp
TRANSMISSION	Automatic CVT	Automatic CVT
DIFFERENTIAL LOCK	Front	Front & Rear
EPS	✓	✓
DIMENSIONS	120.1 × 63.0 × 76.8" (305.0 × 160.0 × 195.0 cm)	120.1 × 63.0 × 77.9" (305.0 × 160.0 × 198.0 cm)
CARGO BED L × W × H	53.9 × 38.2 × 11.4" (137.0 × 97.0 × 29.0 cm)	53.9 × 38.2 × 11.4" (137.0 × 97.0 × 29.0 cm)
WHEELBASE	83.1" (211.0 cm)	83.1" (211.0 cm)
GROUND CLEARANCE	12.6" (32 cm)	13.8" (35 cm)
TOWING CAPACITY	1,896 lb (860 kg)	1,896 lb (860 kg)
BED CAPACITY	1,200 lb (454 kg)	1,200 lb (454 kg)
PAYLOAD CAPACITY	1,503 lb (682 kg)	1,503 lb (682 kg)
FRONT SUSPENSION	Dual A-Arm; 9.1" Wheel Travel	Dual A-Arm; 7.1" Wheel Travel
REAR SUSPENSION	Dual A-Arm; IRS; 10.4" Wheel Travel	Dual A-Arm; IRS; 10.2" Wheel Travel
SHOCKS	Oil Shock	Oil Shock
WHEELS	14" Steel Rim	14" Aluminum w/ Beadlock
TIRES	27 × 9 R14; 27 × 11 R14	30 × 10 R14; 30 × 10 R14
BRAKES	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc
LAMP	Halogen	Halogen
FUEL CAPACITY	11.4 gal (43 L)	11.4 gal (43 L)
SMART TOUCHSCREEN	Optional	10.4" Infotainment Touchscreen
SMART MOVING APP	Included	Included
WINCH	Optional	4,500 lb
PERSON CAPACITY	3	3
COLORS	Mountain Green / Desert Yellow / Bold Black / TRUETIMBER® Prairie Camo	



Segway reserves the right to change specifications, models or pricing at any time without incurring obligations.

SEGWAY AT10	AT10 EPS	AT10 PREMIUM
ENGINE	999 cc 4-Stroke Parallel-Twin Cylinder DOHC	999 cc 4-Stroke Parallel-Twin Cylinder DOHC
HORSEPOWER	97 hp	97 hp
TRANSMISSION	Automatic CVT	Automatic CVT
DIFFERENTIAL LOCK	Front	Front & Rear
EPS	✓	✓
DIMENSIONS	94.9 × 49.6 × 57.2" (241.0 × 125.9 × 145.2 cm)	94.9 × 49.6 × 57.2" (241.0 × 125.9 × 145.2 cm)
WHEELBASE	57.1" (145 cm)	57.1" (145 cm)
GROUND CLEARANCE	10.8" (27.5 cm)	10.8" (27.5 cm)
FUEL CAPACITY	6.1 gal (23 L)	6.1 gal (23 L)
TOWING CAPACITY	1,543 lb (700 kg)	1,543 lb (700 kg)
PAYLOAD CAPACITY	594 lb (270 kg)	594 lb (270 kg)
FRONT SUSPENSION	Dual A-Arm; Front Travel: 7.3"	Dual A-Arm; Front Travel: 7.3"
REAR SUSPENSION	Dual A-Arm; Rear Travel: 8.3"	Dual A-Arm; Rear Travel: 8.3"
SHOCKS	Oil Shock	Gas Shock
WHEELS	14" Steel Rim	14" Aluminum Rim w/ Beadlock
TIRES	Front 27 × 9 R14 Rear 27 × 11 R14	Front 27 × 9 R14 Rear 27 × 11 R14
BRAKES	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc
RACK	Front & Rear Steel Rack	Front & Rear Plastic Rack
LAMP	Halogen	LED
BACKREST	✓	✓
SMART MOVING APP	Included	Included
WINCH	4,500 lb	4,500 lb
PERSON CAPACITY	2	2
HANDLEBAR GUARD	✓	✓
COLORS	Tensive Red & Grey / Desert Yellow / Matt Black / TRUETIMBER® Prairie Camo	



SEGWAY AT10 W	AT10 W	AT10 W MUD
ENGINE	999 cc 4-Stroke Parallel-Twin Cylinder DOHC	999 cc 4-Stroke Parallel-Twin Cylinder DOHC
HORSEPOWER	97 hp	97 hp
TRANSMISSION	Automatic CVT	Automatic CVT
DIFFERENTIAL LOCK	Front	Front & Rear
EPS	✓	✓
DIMENSIONS	95.6 × 58.6 × 60.2" (242.9 × 148.9 × 153.0 cm)	95.6 × 58.6 × 60.1" (242.9 × 148.9 × 152.8 cm)
WHEELBASE	57.1" (145 cm)	57.1" (145 cm)
GROUND CLEARANCE	12.6" (32 cm)	12.6" (32 cm)
FUEL CAPACITY	6.1 gal (23 L)	6.1 gal (23 L)
TOWING CAPACITY	1,543 lb (700 kg)	1,543 lb (700 kg)
PAYLOAD CAPACITY	594 lb (270 kg)	594 lb (270 kg)
FRONT SUSPENSION	Dual A-Arm; Front Travel: 6.8"	Dual A-Arm; Front Travel: 6.8"
REAR SUSPENSION	Dual A-Arm; Rear Travel: 8.3"	Dual A-Arm; Rear Travel: 8.3"
SHOCKS	Gas Shock	Gas Shock
WHEELS	14" Aluminum Rim w/ Beadlock	14" Aluminum Rim w/ Beadlock
TIRES	Front 30 × 10 R14 Rear 30 × 10 R14	Front 30 × 10 R14 Rear 30 × 10 R14
BRAKES	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc
RACK	Front & Rear Plastic Rack	Rear Plastic Rack
LAMP	LED	LED
BACKREST	✓	✓
SMART MOVING APP	Included	Included
WINCH	4,500 lb	4,500 lb
PERSON CAPACITY	2	2
HANDLEBAR GUARD	✓	—
COLORS	Tensive Red & Grey / Desert Yellow / Matt Black / TRUETIMBER® Prairie Camo	



Segway reserves the right to change specifications, models or pricing at any time without incurring obligations.

SEGWAY AT6 L	AT6 L STANDARD	AT6 L EPS	AT6 L PREMIUM
ENGINE	570 cc, 4-Stroke Single-Cylinder DOHC Engine	570 cc, 4-Stroke Single-Cylinder DOHC Engine	570 cc, 4-Stroke Single-Cylinder DOHC Engine
HORSEPOWER	44 hp	44 hp	44 hp
TRANSMISSION	Automatic CVT	Automatic CVT	Automatic CVT
DIFFERENTIAL LOCK	Front	Front	Front & Rear
EPS	✓	✓	✓
DIMENSIONS	92.1 × 50.4 × 56.3" (234.0 × 128.0 × 143.0 cm)	92.1 × 50.4 × 56.3" (234.0 × 128.0 × 143.0 cm)	92.1 × 50.4 × 56.3" (234.0 × 128.0 × 143.0 cm)
WHEELBASE	57.1" (145 cm)	57.1" (145 cm)	57.1" (145 cm)
GROUND CLEARANCE	10.6" (27 cm)	10.6" (27 cm)	10.6" (27 cm)
FUEL CAPACITY	6.1 gal (23 L)	6.1 gal (23 L)	6.1 gal (23 L)
TOWING CAPACITY	772 lb (350 kg)	772 lb (350 kg)	772 lb (350 kg)
PAYLOAD CAPACITY	594 lb (270 kg)	594 lb (270 kg)	594 lb (270 kg)
FRONT SUSPENSION	Dual A-Arm; Front Travel: 7.1"	Dual A-Arm; Front Travel: 7.1"	Dual A-Arm; Front Travel: 7.1"
REAR SUSPENSION	Dual A-Arm; Rear Travel: 8.3"	Dual A-Arm; Rear Travel: 8.3"	Dual A-Arm; Rear Travel: 8.3"
SHOCKS	Oil Shock	Oil Shock	Gas Shock
WHEELS	12" Steel Rim	12" Steel Rim	14" Aluminum Rim w/ Beadlock
TIRES	Front 25 × 8-12 Rear 25 × 10-12	Front 25 × 8-12 Rear 25 × 10-12	Front 26 × 8-14 Rear 26 × 10-14
BRAKES	3-Wheel Hydraulic Disc	3-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc
RACK	Front & Rear Steel Rack	Front & Rear Steel Rack	Front & Rear Plastic Rack
LAMP	Halogen	Halogen	LED
BACKREST	✓	✓	✓
SMART MOVING APP	Included	Included	Included
WINCH	2,500 lb	2,500 lb	2,500 lb
PERSON CAPACITY	2	2	2
HANDLEBAR GUARD	Optional	✓	✓
COLORS	Smart Blue / Tensive Red / Dream Green / TRUETIMBER® Prairie Camo / Tactical Green		



SEGWAY AT6 S	AT6 S STANDARD	AT6 S EPS	AT6 S PREMIUM
ENGINE	570 cc, 4-Stroke Single-Cylinder DOHC Engine	570 cc, 4-Stroke Single-Cylinder DOHC Engine	570 cc, 4-Stroke Single-Cylinder DOHC Engine
HORSEPOWER	44 hp	44 hp	44 hp
TRANSMISSION	Automatic CVT	Automatic CVT	Automatic CVT
DIFFERENTIAL LOCK	Front	Front	Front & Rear
EPS	—	✓	✓
DIMENSIONS	86.6 × 50.4 × 52.0" (220.0 × 128.0 × 132.0 cm)	86.6 × 50.4 × 52.0" (220.0 × 128.0 × 132.0 cm)	86.6 × 50.4 × 52.0" (220.0 × 128.0 × 132.0 cm)
WHEELBASE	51.2" (130 cm)	51.2" (130 cm)	51.2" (130 cm)
GROUND CLEARANCE	10.6" (27 cm)	10.6" (27 cm)	10.6" (27 cm)
FUEL CAPACITY	6.1 gal (23 L)	6.1 gal (23 L)	6.1 gal (23 L)
TOWING CAPACITY	661 lb (300 kg)	661 lb (300 kg)	661 lb (300 kg)
PAYLOAD CAPACITY	594 lb (270 kg)	594 lb (270 kg)	594 lb (270 kg)
FRONT SUSPENSION	Dual A-Arm; Front Travel: 7.1"	Dual A-Arm; Front Travel: 7.1"	Dual A-Arm; Front Travel: 7.1"
REAR SUSPENSION	Dual A-Arm; Rear Travel: 8.3"	Dual A-Arm; Rear Travel: 8.3"	Dual A-Arm; Rear Travel: 8.3"
SHOCKS	Oil Shock	Oil Shock	Gas Shock
WHEELS	12" Steel Rim	12" Steel Rim	14" Aluminum Rim w/ Beadlock
TIRES	Front 25 × 8-12 Rear 25 × 10-12	Front 25 × 8-12 Rear 25 × 10-12	Front 26 × 8-14 Rear 26 × 10-14
BRAKES	3-Wheel Hydraulic Disc	3-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc
RACK	Front & Rear Steel Rack	Front & Rear Steel Rack	Front & Rear Plastic Rack
LAMP	Halogen	Halogen	LED
BACKREST	—	—	—
SMART MOVING APP	Included	Included	Included
WINCH	2,500 lb	2,500 lb	2,500 lb
PERSON CAPACITY	1	1	1
HANDLEBAR GUARD	Optional	✓	✓
COLORS	Smart Blue / Tensive Red / Dream Green / TRUETIMBER® Prairie Camo / Tactical Green		



Segway reserves the right to change specifications, models or pricing at any time without incurring obligations.

SEGWAY AT5 L	AT5 L STANDARD	AT5 L EPS	AT5 L PREMIUM
ENGINE	499 cc, 4-Stroke Single-Cylinder DOHC Engine	499 cc, 4-Stroke Single-Cylinder DOHC Engine	499 cc, 4-Stroke Single-Cylinder DOHC Engine
HORSEPOWER	39 hp	39 hp	39 hp
TRANSMISSION	Automatic CVT	Automatic CVT	Automatic CVT
DIFFERENTIAL LOCK	Front	Front	Front & Rear
EPS	—	✓	✓
DIMENSIONS	87.0 × 45.3 × 55.1" (221.0 × 115.0 × 140.0 cm)	87.0 × 45.3 × 55.1" (221.0 × 115.0 × 140.0 cm)	87.0 × 45.3 × 55.1" (221.0 × 115.0 × 140.0 cm)
WHEELBASE	57.1" (145 cm)	57.1" (145 cm)	57.1" (145 cm)
GROUND CLEARANCE	9.8" (25 cm)	9.8" (25 cm)	9.8" (25 cm)
FUEL CAPACITY	5.0 gal (19 L)	5.0 gal (19 L)	5.0 gal (19 L)
TOWING CAPACITY	1,350 lb (612 kg)	1,350 lb (612 kg)	1,350 lb (612 kg)
PAYLOAD CAPACITY	595 lb (270 kg)	595 lb (270 kg)	595 lb (270 kg)
FRONT SUSPENSION	Dual A-Arm; Front Travel: 7.1"	Dual A-Arm; Front Travel: 7.1"	Dual A-Arm; Front Travel: 7.1"
REAR SUSPENSION	Dual A-Arm; Rear Travel: 7.9"	Dual A-Arm; Rear Travel: 7.9"	Dual A-Arm; Rear Travel: 7.9"
SHOCKS	Oil Shock	Oil Shock	Gas Shock
WHEELS	12" Steel Rim	12" Steel Rim	12" Aluminum Rim
TIRES	Front 24 × 8-12 Rear 24 × 10-12	Front 24 × 8-12 Rear 24 × 10-12	Front 25 × 8-12 Rear 25 × 10-12
BRAKES	3-Wheel Hydraulic Disc	3-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc
RACK	Front & Rear Steel Rack	Front & Rear Steel Rack	Front & Rear Plastic Rack
LAMP	LED	LED	LED
BACKREST	✓	✓	✓
SMART MOVING APP	Included	Included	Included
WINCH	—	2,500 lb	2,500 lb
PERSON CAPACITY	2	2	2
HANDLEBAR GUARD	—	✓	✓
COLORS	Tensive Red / Dream Green / Smart Blue / Radical Orange / TRUETIMBER® Prairie Camo / Tactical Green		



SEGWAY AT5 S	AT5 S STANDARD	AT5 S EPS	AT5 S PREMIUM
ENGINE	499 cc, 4-Stroke Single-Cylinder DOHC Engine	499 cc, 4-Stroke Single-Cylinder DOHC Engine	499 cc, 4-Stroke Single-Cylinder DOHC Engine
HORSEPOWER	39 hp	39 hp	39 hp
TRANSMISSION	Automatic CVT	Automatic CVT	Automatic CVT
DIFFERENTIAL LOCK	Front	Front	Front & Rear
EPS	—	✓	✓
DIMENSIONS	81.1 × 45.3 × 46.1" (206.0 × 115.0 × 117.0 cm)	81.1 × 45.3 × 46.1" (206.0 × 115.0 × 117.0 cm)	81.1 × 45.3 × 46.1" (206.0 × 115.0 × 117.0 cm)
WHEELBASE	51.2" (130 cm)	51.2" (130 cm)	51.2" (130 cm)
GROUND CLEARANCE	9.8" (25 cm)	9.8" (25 cm)	9.8" (25 cm)
FUEL CAPACITY	5.0 gal (19 L)	5.0 gal (19 L)	5.0 gal (19 L)
TOWING CAPACITY	1,350 lb (612 kg)	1,350 lb (612 kg)	1,350 lb (612 kg)
PAYLOAD CAPACITY	595 lb (270 kg)	595 lb (270 kg)	595 lb (270 kg)
FRONT SUSPENSION	Dual A-Arm; Front Travel: 7.1"	Dual A-Arm; Front Travel: 7.1"	Dual A-Arm; Front Travel: 7.1"
REAR SUSPENSION	Dual A-Arm; Rear Travel: 7.9"	Dual A-Arm; Rear Travel: 7.9"	Dual A-Arm; Rear Travel: 7.9"
SHOCKS	Oil Shock	Oil Shock	Gas Shock
WHEELS	12" Steel Rim	12" Steel Rim	12" Aluminum Rim
TIRES	Front 24 × 8-12 Rear 24 × 10-12	Front 24 × 8-12 Rear 24 × 10-12	Front 25 × 8-12 Rear 25 × 10-12
BRAKES	3-Wheel Hydraulic Disc	3-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc
RACK	Front & Rear Steel Rack	Front & Rear Steel Rack	Front & Rear Plastic Rack
LAMP	LED	LED	LED
BACKREST	—	—	—
SMART MOVING APP	Included	Included	Included
WINCH	—	2,500 lb	2,500 lb
PERSON CAPACITY	1	1	1
HANDLEBAR GUARD	—	✓	✓
COLORS	Tensive Red / Dream Green / Smart Blue / Radical Orange / TRUETIMBER® Prairie Camo / Tactical Green		



Segway reserves the right to change specifications, models or pricing at any time without incurring obligations.

SEGWAY TECHNOLOGY CO., LTD.

No. 395, Xiacheng South Road,
Wujin National High-tech Industrial
Development Zone,
Changzhou, Jiangsu, China.

Tel: +86-519-69657999
Email: info@powersports.segway.com
Web: powersports.segway.com